

# 0203-17-01

**Sample ID: BIA251021S0646**  
 Strain: mule fuel  
 Harvest Lot:  
 Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 5.98 g  
 Lot#:

Produced:  
 Collected:  
 Received: 10/21/2025  
 Completed: 10/28/2025  
 Batch#:

Client  
**cloud 9**  
 Lic. #  
 4082 Noyestar Rd  
 East Hardwick, VT 05836



## Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	10/22/2025	Complete
Moisture	10/22/2025	10.20% - Complete
Water Activity	10/22/2025	0.507 aw - Complete
Terpenes	10/24/2025	Complete
Microbials	10/24/2025	Complete

## Cannabinoids

Completed

29.71%			0.10%			35.96%			
Total THC			Total CBD			Total Cannabinoids			
Analyte	LOQ	Results	Results	Mass	Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving		mg/g	%	mg/g	mg/serving
CBDVa	0.0003	<LOQ	<LOQ		CBCVa	0.0003	<LOQ	<LOQ	
CBDV	0.0003	<LOQ	<LOQ		CBNa	0.0003	<LOQ	<LOQ	
CBDa	0.0005	0.11	1.1		Δ9-THC	0.0005	0.56	5.6	
CBGa	0.0005	0.76	7.6		Δ8-THC	0.0003	<LOQ	<LOQ	
CBG	0.0005	0.12	1.2		Δ10-THC*	0.0002	0.51	5.1	
CBD	0.0005	<LOQ	<LOQ		CBL	0.0005	<LOQ	<LOQ	
THCV	0.0003	0.06	0.6		CBC	0.0003	<LOQ	<LOQ	
CBLV	0.0003	0.13	1.3		THCa	0.0005	33.24	332.4	
CBCV	0.0003	<LOQ	<LOQ		CBCa	0.0006	0.24	2.4	
THCVa	0.0003	0.22	2.2		CBLa	0.0005	<LOQ	<LOQ	
CBN	0.0005	<LOQ	<LOQ		<b>Total THC</b>		<b>29.71</b>	<b>297.08</b>	
					<b>Total CBD</b>		<b>0.10</b>	<b>0.97</b>	
					<b>Total</b>		<b>35.96</b>	<b>359.63</b>	<b>0.00</b>

Analyst: 052

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: &lt; LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the

particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

\*The result is the sum of delta-10 isomers.




 Luke Emerson-Mason  
 Laboratory Director  
 10/28/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


## 0203-17-01

**Sample ID:** BIA251021S0646  
 Strain: mule fuel  
 Harvest Lot:  
 Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 5.98 g  
 Lot#:

**Produced:**  
 Collected:  
 Received: 10/21/2025  
 Completed: 10/28/2025  
 Batch#:

**Client**  
**cloud 9**  
 Lic. #  
 4082 Noyestar Rd  
 East Hardwick, VT 05836

### Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	3.423	0.342
Limonene	0.010	2.528	0.253
α-Pinene	0.010	2.362	0.236
Ocimene	0.010	2.050	0.205
β-Pinene	0.010	1.983	0.198
β-Caryophyllene	0.010	1.412	0.141
α-Humulene	0.010	0.628	0.063
Terpinolene	0.010	0.280	0.028
Camphene	0.010	0.110	0.011
Eucalyptol	0.010	0.029	0.003
γ-Terpinene	0.010	0.029	0.003
3-Carene	0.010	0.024	0.002
α-Terpinene	0.010	0.020	0.002
α-Bisabolol	0.010	0.017	0.002
Linalool	0.010	0.015	0.001
Caryophyllene Oxide	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
<b>Total</b>		<b>14.909</b>	<b>1.491</b>

### Primary Aromas



Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: &lt; LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




Luke Emerson-Mason  
 Laboratory Director  
 10/28/2025

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



**0203 -17 -01**

Sample ID: BIA251021S0646  
Strain: mule fuel  
Harvest Lot:  
Matrix: Plant  
Type: Flower - Cured  
Sample Size: 5.98 g  
Lot#:

Produced:  
Collected:  
Received: 10/21/2025  
Completed: 10/28/2025  
Batch#:

Client  
**cloud 9**  
Lic. #  
4082 Noyestar Rd  
East Hardwick, VT 05836

Pathogens

Completed

Pathogens	LOD CFU/g	Results CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 049

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes




Luke Emerson-Mason  
Laboratory Director  
10/28/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

